

Implementing Cisco Quality of Service—Volume 1

I. Course Introduction

- A. Overview/Learner Skills and Knowledge
- B. Course Goal and Objectives
- C. Course Flow
- D. Additional References
 - 1. Cisco Glossary of Terms
- E. Your Training Curriculum

II. Introduction to QoS

- A. Overview/Module Objectives

III. Understanding the Need for QoS

- A. Overview/Objectives
- B. Converged Networks
- C. Converged Networks Quality Issues
- D. Available Bandwidth
- E. End-to-End Delay
 - 1. Example: Effects of Delay
- F. Packet Loss
- G. Summary

VI. Understanding QoS

- A. Overview/Objectives
- B. QoS Defined
- C. QoS for Converged Networks
 - 1. Example: Three Steps to Implementing QoS on a Network
- D. QoS Requirements
- E. QoS Traffic Classes
 - 1. Example: Traffic Classification
- F. QoS Policy
 - 1. Example: Defining QoS Policies
- G. Summary

V. Implementing QoS

- A. Overview/Objectives
- B. Methods for Implementing QoS Policy
- C. Legacy CLI
- D. Modular QoS CLI
- E. AutoQoS VoIP and Enterprise
- F. QoS Implementation Methods Compared
- G. QoS Policy Manager
- H. Network MIBs for Monitoring QoS
- I. MIBs for Managing QoS
- J. Summary
- K. Module Summary
 - 1. References
- L. Module Self-Check Answer Key

VI. The Building Blocks of QoS

- A. Overview/Module Objectives

VII. Identifying Models for Implementing QoS

- A. Overview/Objectives
- B. QoS Models
- C. Best-Effort Model
- D. IntServ Model

- E. DiffServ Model
- F. Summary

VIII. Understanding the Integrated Service Model

- A. Overview/Objectives
- B. Integrated Services Model
- C. RSVP Components
- D. RSVP Interface Bandwidth Queuing
- E. Enabling RSVP on an Interface
- F. IntServ and DiffServ Integration
- G. Summary

IX. Understanding the Differentiated Services Model

- A. Overview/Objectives
- B. Differentiated Services Model
- C. DSCP Encoding
- D. Per-Hop Behaviors
- E. Backward Compatibility Using the Class Selector
- F. Summary

X. Identifying QoS Mechanisms

- A. Overview/Objectives
- B. QoS Mechanisms
- C. Classification
- D. Marking
- E. Congestion Management
- F. Congestion Avoidance
- G. Policing and Shaping
- H. Link Efficiency Mechanisms
- I. Link Fragmentation and Interleaving
- J. Applying QoS to Input and Output Interfaces
- K. Summary

XI. Understanding QoS in the Life of the Packet

- A. Overview/Objectives
- B. QoS and Packets
- C. Life of a High-Priority (VoIP) Packet
- D. Life of a Low-Priority (FTP) Packet
- E. Summary
- F. Module Summary
 - 1. References
- G. Module Self-Check
 - 1. Module Self-Check Answer Key

XII. Introduction to Modular QoS CLA and AutoQoS

- A. Overview/Module Objectives

XIII. Introducing Modular QoS CLI

- A. Overview/Objectives
- B. Modular QoS CLI
 - 1. Example: Advantages of Using MQC
- C. Modular QoS CLI Components
 - 1. Example: Configuring MQC
- D. Class Maps
- E. Configuring and Monitoring Class Maps
 - 1. Example: Class Map Configuration
 - 2. Example: Using the match Command
 - 3. Example: Nested Traffic Class to Combine match-any and match-all Characteristics in One Traffic Class

- 4. Traffic Class
- F. Policy Maps
- G. Configuring and Monitoring Policy Maps
 - 1. Example: Policy Map Examples\
 - 2. Example: Hierarchical Policy Maps
 - 3. Example: Hierarchical Policy-Map Configuration
- H. Service Policy
- I. Attaching Service Policies to Interfaces
 - 1. Example: Complete MQC Configuration
- J. Summary

XIV. Introducing Cisco AutoQoS VoIP

- A. Overview/Objectives
- B. Cisco AutoQoS VoIP
- C. AutoQoS VoIP; Router Platforms
- D. AutoQoS VoIP: Switch Platforms
- E. Configuring AutoQoS VoIP
 - 1. Example: Configuring the AutoQoS VoIP Feature on a High-Speed Serial Interface
 - 2. Example: Using the Port-Specific AutoQoS Macro
- F. Monitoring AutoQoS VoIP
 - 1. Example: Show AutoQoS and Show AutoQoS Interface
- G. Automation with Cisco AutoQoS
- H. Summary

XV. Introducing Cisco AutoQoS Enterprise

- A. Overview/Objectives
- B. Cisco AutoQoS Enterprise
- C. AutoQoS Enterprise Router Platforms
- D. Configuring AutoQoS Enterprise
 - 1. Example: Configuring the AutoQoS Discovery Feature on a High-Speed Serial Interface
 - 2. Example: Configuring the AutoQoS Enterprise Feature on a High-Speed Serial Interface
- E. Summary
- F. Module Summary
 - 1. References
- G. Module Self-Check
 - 1. Module Assessment Answer Key

XVI. Classification and Marking

- A. Overview/Module Objectives

XVII. Understanding Classification and Marking

- A. Overview/Objectives
- B. Classification
- C. Marking
- D. Classification and Marking at the Data-Link Layer
- E. Classification and Marking at the Network Layer
- F. Mapping CoS to Network Layer QoS
- G. QoS Service Class Defined
 - 1. Example: Defining QoS Service Classes
- H. Implementing a QoS Policy Using a QoS Service Class
- I. Trust Boundaries
- J. Summary

XVIII. Using MQC for Classification

- A. Overview/Objectives
- B. MQC Classification Options
- C. Configuring Classification with MQC

- D. Configuring Classification Using Input Interface
- E. Configuring Classification Using CoS
- F. Configuring Classification Using Access Lists
- G. Configuring Classification Using IP Precedence
- H. Configuring Classification Using DSCP
- I. Configuring Classification Using a UDP Port Range
- J. Monitoring Class Maps
- K. Summary

XIX. Using MQC for Class-Based Marking

- A. Overview/Objectives
- B. Class-Based Marking Overview
- C. MQC Marking Options
- D. Configuring Class-Based Marking
- E. Configuring CoS Marking
- F. Configuring IP Precedence Marking
- G. Configuring IP DSCP Marking
- H. Monitoring Class-Based Marking
- I. Summary

XX. Using NBAR for Classification

- A. Overview/Objectives
- B. Network-Based Application Recognition
- C. NBAR Application Support
- D. Packet Description Language Module
- E. Protocol Discovery
- F. Configuring and Monitoring Protocol Discovery
- G. Configuring NBAR for Static Protocols
 - 1. Example: Configuring NBAR for Static Protocols
- H. Configuring NBAR for Stateful Protocols
 - 1. Example: Configuring NBAR for Static Protocols
- I. Summary

XXI. Configuring QoS Preclassify

- A. Overview/Objectives
- B. Implementing QoS with Preclassify
- C. QoS Preclassify Applications
- D. QoS Preclassify Deployment Options
- E. Configuring QoS Preclassify
- F. Monitoring QoS Preclassify
- G. Summary

XXII. Configuring QoS Policy Propagation Through BGP

- A. Overview/Objectives
- B. QoS Policy Propagation Through BGP
- C. QoS and BGP Interaction
- D. Cisco Express Forwarding
- E. QPPB Configuration Tasks
- F. Configuring QPPB
 - 1. Example: Configuration
 - 2. Example: Configuring QPPB
- G. Summary

XXIII. Configuring LAN Classification and Marking

- A. Overview/Objectives
- B. LAN-Based Classification and Marking
- C. QoS Trust Boundaries
- D. LAN Classification and Marking Platforms
 - 1. Example: Configure Trust Settings on the 2950 Switch

- 2. Example: QoS Mechanisms on the Catalyst 2950 Switch
- E. Configuring LAN-Based Classification and Marking
- F. Monitoring LAN-Based Classification and Marking
- G. Summary
- H. Module Summary
 - 1. References
- I. Module Self-Check
 - 1. Module Self-Check Answer Key

Implementing Cisco Quality of Service—Volume 2

I. Congestion Management

- A. Overview/Module Objectives

II. Introducing Queuing

- A. Overview/Objectives
- B. Congestion and Queuing
- C. Queuing Algorithms
- D. First In First Out
- E. Priority Queuing
- F. Round Robin
- G. Weighted Round Robin
- H. Deficit Round Robin
- I. Summary

III. Understanding Queuing Implementations

- A. Overview/Objectives
- B. Queuing Components
- C. Hardware Queue (TxQ) Size
- D. Congestion on Software Interfaces
- E. Queuing Implementations in Cisco IOS
- F. Summary

IV. Configuring FIFO and WFQ

- A. Overview/Objectives
- B. FIFO Queuing
- C. Weighted Fair Queuing
- D. WFQ Classification
- E. WFQ Insertion and Drop Policy
- F. WFQ Scheduling
- G. Benefits and Drawbacks of WFQ
- H. Configuring WFQ
- I. Monitoring WFQ
- J. Summary

V. Configuring CBWFQ and LLQ

- A. Overview/Objectives
- B. CBWFQ and LLQ
- C. Class-Based Weighted Fair Queuing
- D. CBWFQ Architecture
- E. CBWFQ Benefits
- F. Configuring and Monitoring CBWFQ
 - 1. Example: Configuration of FIFO Queuing
 - 2. Example: Configuration of WFQ Queuing
- G. Low-Latency Queuing
- H. LLQ Architecture
- I. LLQ Benefits
- J. Configuring and Monitoring LLQ
 - 1. Example: Calculating LLQ Bandwidth Required for VoIP

- K. Summary
 - 1. References

VI. Configuring LAN Congestion Management

- A. Overview/Objectives
- B. Queuing on Catalyst Switches
- C. Weighted Round Robin
- D. Configuring CoS-to-Queue Mappings for PQ on Catalyst 2950 Switches
- E. Configuring WRR on Catalyst 2950 Switches
- F. Monitoring Queuing on Catalyst 2950 Switches
- G. Summary
- H. Module Summary
 - 1. References
- I. Module Self-Check
 - 1. Module Self-Check Answer Key

VII. Congestion Avoidance

- A. Overview/Module Objectives

VIII. Introducing Congestion Avoidance

- A. Overview/Objectives
- B. Behavior of TCP Senders and receivers
 - 1. Example: Windowing in TCP
- C. Congestion and TCP
- D. Managing Interface Congestion with Tail Drop
- E. Tail Drop Limitations
- F. Summary

IX. Introducing RED

- A. Overview/Objectives
- B. Random Early Detection
- C. RED Profiles
- D. RED Modes
- E. TCP Traffic Before and After RED
- F. Applying Congestion Avoidance
- G. Summary

X. Configuring Class-Based Weighted RED

- A. Overview/Objectives
- B. Weighted Random Early Detection
- C. WRED Profiles
- D. Configuring CB-WRED
 - 1. Example: CBWFQ Using IP Precedence with CB-WRED
- E. Configuring DSCP-Based CB-WRED
 - 1. Example: CB-WRED Using DSCP with CBWFQ
- F. Monitoring CB-WRED
- G. Summary

XI. Configuring Explicit Congestion Notification

- A. Overview/Objectives
- B. Explicit Congestion Notification
- C. ECN Field Defined
- D. ECN and WRED
- E. Configuring ECN-Enabled WRED
- F. Monitoring ENC-Enabled WRED
- G. Summary
- H. Module Summary
 - 1. References
- I. Module Self-Check
 - 1. Module Self-Check Answer Key

XII. Traffic Policing and Shaping

- A. Overview/Module Objectives

XIII. Understanding Traffic Policing and Shaping

- A. Overview/Objectives
- B. Traffic Policing and Shaping Overview
- C. Why Use Traffic Conditioners?
 - 1. Example: Traffic Policing
 - 2. Example: Traffic Shaping
- D. Policing vs. Shaping
- E. Measuring Traffic Rates
 - 1. Example: Token Bucket as a Piggy Bank
- F. Single Token Bucket Class-Based Policing
- G. Dual Token Bucket Class-Based Policing
- H. Dual-Rate Token Bucket Class-Based Policing
 - 1. Example: Dual-Rate Token Bucket as a Piggy Bank
- I. Class-Based Traffic Shaping
- J. Cisco IOS Traffic Policing and Shaping Mechanisms
- K. Applying Traffic Conditioners
- L. Summary

XIV. Configuring Class-Based Policing

- A. Overview/Objectives
- B. Class-Based Policing Overview
- C. Configuring Single-Rate Class-Based Policing
 - 1. Example: Single Rate, Dual Token Bucket Class-Based Policing
 - 2. Example: Multiaction Class-Based Policing
- D. Configuring Dual-Rate Class-Based Policing
 - 1. Example: Dual-Rate Class-Based Policing
- E. Configuring Percentage-Based Class-Based Policing
 - 1. Example: Configuring Percentage-Based Class-Based Policing
- F. Monitoring Class-Based Policing
- G. Summary

XV. Configuring Class-Based Shaping

- A. Overview/Objectives
- B. Class-Based Shaping Overview
- C. Traffic Shaping Methods
- D. Configuring Class-Based Shaping
 - 1. Example: Average Rate, Peak Rate
 - 2. Example: Class-Based Shaping with CBWFQ
 - 3. Example: Class-Based Shaping Hierarchical Policy Maps
- E. Monitoring Class-Based Shaping
- F. Summary

XVI. Configuring Class-Based Shaping on Frame Relay Interfaces

- A. Overview/Objectives
- B. Frame Relay Refresher
- C. Frame Relay Congestion Control
- D. Frame Relay Congestion Adaptation
- E. FECN-to-BECN Propagation
- F. Configuring Frame Relay Adaptive Class-Based Shaping
 - 1. Example: Class-Based Shaping with Frame Relay Adaptation
- G. Monitoring MQC-Based Frame Relay Traffic Shaping
- H. MQC-Based Frame Relay Traffic Shaping Example On Multipoint Main Interface
- I. Summary

XVII. Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation

- A. Overview/Objectives

- B. Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation
- C. Benefits in Deploying FR-VATS
- D. Prerequisites for Deploying FR-VATS
- E. Supported Platforms
- F. Frame Relay Voice-Adaptive Traffic Shaping and Fragmentation Operation
- G. Configuring the Frame Relay Voice-Adaptive Feature
- H. Monitoring the Frame Relay Voice-Adaptive Feature
- I. Summary
- J. Module Summary
 - 1. References
- K. Module Self-Check
 - 1. Module Self-Check Answer Key

XVIII. Link Efficiency Mechanisms

- A. Overview/Module Objectives

XIX. Understanding Link Efficiency Mechanisms

- A. Overview/Objectives
- B. Link Efficiency Mechanisms Overview
 - 1. Example: Indexing Operations
- C. L2 Payload Compression
 - 1. Example: L2 Payload Compression Results
- D. Header Compression
 - 1. Example: Header Compression Results
- E. Large Packets “Freeze Out” Voice on Slow WAN Links
- F. Link Fragmentation and Interleaving
- G. Applying Link Efficiency Mechanisms
- H. Summary

XX. Configuring Class-Based Header Compression

- A. Overview/Objectives
- B. Header Compression Overview
 - 1. Example: RTP Header Compression
- C. Class-Based TCP Header Compression
 - 1. Example: Class-Based TCP Header Compression
- D. Class-Based RTP Header Compression
 - 1. Example: Class-Based RTP Header Compression
- E. Configuring Class-Based Header Compression
 - 1. Example: Configuring Class-Based TCP Header Compression
 - 2. Example: Configuring Class-Based RTP Header Compression
- F. Monitoring Class-Based Header Compression
- G. Summary

XXI. Configuring Link Fragmentation and Interleaving

- A. Overview/Objectives
- B. Fragmentation Options
- C. Serialization Delay and Fragment Sizing
 - 1. Example: Determining the Proper Fragment Size
- D. Configuring MLP with Interleaving
 - 1. Example: MLP with Interleaving
- E. Monitoring MLP with Interleaving
- F. FRF.12 Frame Relay Fragmentation
- G. Configuring FRF.12 Frame Relay Fragmentation
 - 1. Example: FRF.12 Frame Relay Fragmentation
- H. Monitoring FRF.12 Frame Relay Fragmentation
- I. Summary
- J. Module Summary
 - 1. References
- K. Module Self-Check

1. Module Self-Check Answer Key

XXII. QoS Best Practices

- A. Overview/Module Objectives

XXIII. Understanding Traffic Classification Best Practices

- A. Overview/Objectives
- B. QoS Best Practices
 - 1. Example: Cisco IOS QoS Tools Summary
- C. Voice, Video, and Data QoS Requirements
 - 1. Example: G.711 Voice Bearer Bandwidth Requirement Calculation
 - 2. Example: Calculating the Bandwidth Requirement for a 384-kbps Videoconference Stream
 - 3. Example: RCL Enterprise
- D. QoS Requirements Summary
 - 1. Example: QoS Requirements of the Major Applications Category
- E. Traffic Classification
 - 1. Example: LLQ Bandwidth Allocation
 - 2. Example: LLQ Example on the Enterprise WAN Edge Router
- F. Enterprise to Service Provider QoS Class Mapping
 - 1. Example: Remapping Enterprise-Managed CE Traffic Classes Into Traffic Classes Offered by Service Provider
- G. Summary

XXIV. Deploying End-to-End QoS

- A. Overview/Objectives
- B. QoS Service Level Agreements
- C. Deploying End-to-End QoS
- D. Enterprise Campus QoS Implementations
- E. WAN Edge (CE/PE) QoS Implementations
- F. Service Provider Backbone QoS Implementations
- G. Summary

XXV. Providing QoS for Security

- A. Overview/Objective
- B. Business Security Threat
- C. Increasing Occurrence of Network Attacks
- D. The Impact of an Internet Worm Attack
- E. QoS Tools and Tactics for Security
- F. Control Plane Policing
- G. Data Plane Policing
- H. NBAR Known-Worm Policing
- I. Integrating Security Through QoS
- J. Summary
- K. Module Summary
 - 1. References
- L. Module Self-Check
 - 1. Module Self-Check Answer Key

Implementing Cisco Quality of Service—Lab Guide

Overview/Outline

- Case Study 2-1: QoS Mechanisms
- Lab 2-1: QoS Lab Setup and Initialization
- Lab 2-2: Baseline QoS Measurements
- Lab 3-1: Configuring QoS with AutoQoS
- Case Study 4-1: Classification and Marking
- Lab 4-1: Classification and Marking Using MQC
- Lab 4-2: Classification Using NBAR



Lab 4-3: Configuring QoS Preclassify
Lab 4-4: LAN-Based Packet Classification and Marking
Lab 5-1: Configuring Basic Queuing
Lab 5-2: Configuring LLQ
Lab 5-3: Configuring Queuing on a Catalyst Switch
Case Study 6-1: WRED Traffic Profiles
Lab 6-1: Configuring DSCP-Based WRED
Lab 7-1: Configuring Class-Based Policing
Lab 7-2: Configuring Class-Based Shaping
Lab 8-1: Configuring Class-Based Header Compression
Lab 8-2: Configuring LFI